

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO Box 1450 Alexasofan, Virginia 22313-1450 www.repto.gov

| APPLICATION NO.   | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|---------------------|------------------|
| 10/824,033  | 04/14/2004  | Jurgen Dorn          | 14673-069US         | 6011             |
| 61263 7590 07/17/2009<br>PROSKAUER ROSE LLP<br>1001 PENNSYLVANIA AVE, N.W., |             |                      | EXAMINER            |                  |
|   |             |                      | NGUYEN, VI X        |                  |
| SUITE 400 SOUTH<br>WASHINGTON, DC 20004                                     |             |                      | ART UNIT            | PAPER NUMBER     |
|   |             |                      | 3734                |                  |
|   |             |                      |                     |                  |
|   |             |                      | MAIL DATE           | DELIVERY MODE    |
|   |             |                      | 07/17/2009          | PAPER            |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Application No. Applicant(s) 10/824.033 DORN ET AL. Office Action Summary Examiner Art Unit Victor X. Nguyen 3734 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 15 December 2008. 2a) ☐ This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-43 is/are pending in the application. 4a) Of the above claim(s) 3-43 is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 1-2 is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO/SZ/UE)
Paper No(s)/Mail Date \_\_\_\_\_\_

Interview Summary (PTO-413)
 Paper No(s)/Mail Date. \_\_\_\_\_\_.

6) Other:

Notice of Informal Patent Application

### DETAILED ACTION

### Election/Restrictions

 Applicant's election without traverse of Group I, Species 2, claims 1-2 in the reply filed on 12/15/2008 is acknowledged. Claims 3-43 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim. Election was made without traverse in the reply filed on 12/15/2008.

## Claim Objections

 Claim 1 is objected to because of the following informalities: Claim 1: "pressure paid", in line 3 should be "pressure pad". Appropriate correction is required.

### Double Patenting

3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension &the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Omum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel; 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claim 2 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 1 of U.S. Patent No.7,553,322. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claim of the application is broader than the claim in the Patent. For example, they both recite an inner elongate body, and an outer elongate tubular body, a device for passing fluid into the annular cavity having a housing with a distal end, a proximal end and an off-axis end, the delivery system being characterized by a locking... in a locking disposition, against the inner body to prevent axial movement... to be spaced from the inner body to permit axial movement of the inner body with respect to the outer body.

### Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Mann 3,871,382.

Claim 1: discloses a male portion 201 is extended axially into a pressure pad 107 having a pressure surface (see fig. 3, col. 3, lines 7-17).

Claim 2 is rejected under 35 U.S.C. 102(b) as being anticipated by Lopez 5,810,768.

Claim 2: discloses an inner elongate body (24) and an outer elongate tubular body (11), the device having a housing (12) with a distal end, a proximal end and an off-axis end, the housing providing a seating at the distal end thereof for the outer elongate tubular body along an axis of the housing extending between the proximal and the distal end, the distal and off-axis ends defining respective openings (14) which are in fluid communication with each other, and the proximal end having a lumen to enable the inner elongate body (24) to extend from the housing both distally and proximally, along the axis thereof: characterized by:

a pressure pad (21) mounted to the housing and extending into the cavity from the offaxis opening of the housing and movable between a locking disposition, in which the pad bears on the locus of the inner elongate body (24) for preventing axial movement thereof with respect to the outer body (11), and simultaneously allows injection of fluid into the annular cavity (see col. 6, lines 31-37), and a release disposition in which the pad is spaced from the locus of the inner elongate body for permitting axial movement of the inner body with respect to the outer body (11).

### Conclusion

 The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. U.S. Pat. No. 5,843,088 to Barra et al. U.S. Pat. No. 5,242,423 to Goodsir et al.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Victor X. Nguyen whose telephone number is (571) 272-4699. The examiner can normally be reached on M-F (8-4.30 P.M).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan Nguyen can be reached on (571) 272-4963. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/VN/

/Anhtuan T. Nguven/ Supervisory Patent Examiner, Art Unit 3731

7/16/09